




34th District 20 Mule Team Rd, Mountain General Rd EDWARDS AIR FORCE STATION Center **36th District** 59th District Valley Adelanto B ¡Victorville


Assembly District 36 Northeast Part

Map 2 of 4













Assembly District 36 Southeast Part

Map 3 of 4











Assembly District 36 Victorville Detail

Map 4 of 4









California Assembly Districts

Assembly Redistricting Plan (SB 802), September 13, 2001

The Honorable Robert M. Hertzberg, Speaker

State Capitol Room 219 Sacramento, CA 95814

The California State Assembly Rules Committee The Honorable Dennis Cardoza, Chair

P.O. Box 942849 Sacramento, CA 94249-0001

The California State Assembly Committee on Elections, Reapportionment, and Constitutional Amendments The Honorable John Longville, Chair

P.O. Box 942849 Sacramento, CA 94249-0001

Produced at California State University Northridge Dr. Jolene Koester, President

Eugene Turner, Project Director

Department of Geography 18111 Nordhoff St. Northridge, CA 91330

with

Rubyjane Domingo, Pat Jolley, Meredith Leonard

About the Maps

These maps present specific information about the features comprising the borders of the Assembly Districts of California that were created after the 2000 Census. Each of the 80 districts are represented by one to ten maps with the number depending on the size of the district and the complexity of the features followed by the boundary. In general, the boundaries follow county lines, city limit lines, and roads, but occasionally canals, streams, and small roads are followed.

The Assembly boundary data were created in digital form from Census 2000 TIGER files for California by Pactech Incorporated of Pasadena, CA. The boundary files were released in two forms, as a file of district polygons and as a file of line segments used to create the polygons. Where these line segments were identified, those identifiers were used to label the map boundaries. In addition, place boundaries were created from the TIGER files.

Other map information such as roads, railroads, coastlines, and landmarks were obtained from Geographic Data Technologies. *Dynamap 2000* files (v10.1). Government land ownership information such as national forest boundaries was obtained from a government land ownership layer prepared by the California Teale Data Center.

Maps were prepared from the digital files using *Arcmap 8.1* software from Environmental Systems Research Incorporated. An Albers equal area projection was used for the maps with a central meridian of 120 degrees west longitude and standard parallels of 30 and 40 degrees of latitude. Coordinates are based on NAD83.